

Network Working Group  
Request for Comments: 758  
IEN: 117

J. Postel  
USC-ISI  
August 1979

Obsoletes RFCs: 755,  
750, 739, 604, 503, 433, 349  
Obsoletes IENs: 93

## ASSIGNED NUMBERS

This Network Working Group Request for Comments documents the currently assigned values from several series of numbers used in network protocol implementations. This RFC will be updated periodically, and in any case current information can be obtained from Jon Postel. The assignment of numbers is also handled by Jon. If you are developing a protocol or application that will require the use of a link, socket, etc. please contact Jon to receive a number assignment.

Jon Postel  
USC - Information Sciences Institute  
4676 Admiralty Way  
Marina del Rey, California 90291

phone: (213) 822-1511

ARPANET mail: POSTEL@ISIB

Most of the protocols mentioned here are documented in the RFC series of notes. The more prominent and more generally used are documented in the Protocol Handbook [1] prepared by the Network Information Center (NIC). In the lists that follow a bracketed number, e.g. [1], off to the right of the page indicates a reference for the listed protocol.

# ASSIGNED NETWORK NUMBERS

This list of network numbers is used in the internetwork, the field is 8 bits in size.

## Assigned Network Numbers

| Decimal | Octal  | Name         | Network                              | References |
|---------|--------|--------------|--------------------------------------|------------|
| -----   | -----  | ----         | -----                                | -----      |
| 0       | 0      |              | Reserved                             |            |
| 1       | 1      | BBN-PR       | BBN Packet Radio Network             |            |
| 2       | 2      | SF-PR-1      | SF Bay Area Packet Radio Network (1) |            |
| 3       | 3      | BBN-RCC      | BBN RCC Network                      |            |
| 4       | 4      | SATNET       | Atlantic Satellite Network           |            |
| 5       | 5      | SILL-PR      | Ft. Sill Packet Radio Network        |            |
| 6       | 6      | SF-PR-2      | SF Bay Area Packet Radio Network (2) |            |
| 7       | 7      | CHAOS        | MIT CHAOS Network                    |            |
| 8       | 10     | CLARKNET     | SATNET subnet for Clarksburg         |            |
| 9       | 11     | BRAGG-PR     | Ft. Bragg Packet Radio Network       |            |
| 10      | 12     | ARPANET      | ARPANET                              | [1,2]      |
| 11      | 13     | UCLNET       | University College London Network    |            |
| 12      | 14     | CYCLADES     | CYCLADES                             |            |
| 13      | 15     | NPLNET       | National Physical Laboratory         |            |
| 14      | 16     | TELENET      | TELENET                              |            |
| 15      | 17     | EPSS         | British Post Office EPSS             |            |
| 16      | 20     | DATAPAC      | DATAPAC                              |            |
| 17      | 21     | TRANSPAC     | TRANSPAC                             |            |
| 18      | 22     | LCSNET       | MIT LCS Network                      | [37,38]    |
| 19      | 23     | TYMNET       | TYMNET                               |            |
| 20      | 24     | DC-PR        | Washington D.C. Packet Radio Network |            |
| 21      | 25     | EDN          | DCEC EDN                             |            |
| 22      | 26     | DIALNET      | DIALNET                              | [47,48]    |
| 23      | 27     | MITRE        | MITRE Cablenet                       | [23]       |
| 24      | 30     | BBN-LOCAL    | BBN Local Network                    |            |
| 25      | 31     | RSRE-PPSN    | RSRE / PPSN                          |            |
| 26      | 32     | AUTODIN-II   | AUTODIN II                           |            |
| 27      | 33     | NOSC-LCCN    | NOSC / LCCN                          |            |
| 28      | 34     | WIDEBAND     | Wide Band Satellite Network          |            |
| 29      | 35     | DCN-COMSAT   | COMSAT Distributed Computing Network |            |
| 30      | 36     | DCN-UCL      | UCL Distributed Computing Network    |            |
| 31      | 37     | BBN-SAT-TEST | BBN SATNET Test Network              |            |
| 32-254  | 40-376 |              | Unassigned                           |            |
| 255     | 377    |              | Reserved                             |            |

#### ASSIGNED INTERNET PROTOCOL VERSIONS

In the Internet Protocol (IP) there is a field to identify the version of the internetwork general protocol. This field is 4 bits in size.

#### Assigned Internet Protocol Versions

| Decimal | Octal | Version                 | References |
|---------|-------|-------------------------|------------|
| -----   | ----- | -----                   | -----      |
| 0       | 0     | March 1977 version      | [35]       |
| 1       | 1     | January 1978 version    | [36]       |
| 2       | 2     | February 1978 version A | [42]       |
| 3       | 3     | February 1978 version B | [43]       |
| 4       | 4     | August 1979 version 4   | [44]       |
| 5-14    | 5-16  | Unassigned              |            |
| 15      | 17    | Reserved                |            |

# ASSIGNED INTERNET PROTOCOL NUMBERS

In the Internet Protocol (IP) [44] there is a field to identify the the next level protocol. This field is 8 bits in size. This field is called Protocol in the IP header.

## Assigned Internet Protocol Numbers

| Decimal | Octal   | Protocol Numbers           | References |
|---------|---------|----------------------------|------------|
| -----   | -----   | -----                      | -----      |
| 0       | 0       | Reserved                   |            |
| 1       | 1       | raw internet datagrams     | [44]       |
| 2       | 2       | TCP-3                      | [36]       |
| 3       | 3       | Gateway-to-Gateway         | [49]       |
| 4       | 4       | Gateway Monitoring Message | [41]       |
| 5       | 5       | TCP-3.1                    | [45]       |
| 6       | 6       | TCP-4                      | [46]       |
| 7       | 7       | UCL                        |            |
| 8       | 10      | DSP                        | [37,38]    |
| 9       | 11      | Secure                     |            |
| 10      | 12      | TCP-2                      | [35]       |
| 11      | 13      | NVP                        | [39]       |
| 12      | 14      | Unassigned                 |            |
| 13      | 15      | Pluribus                   |            |
| 14      | 16      | Telenet                    |            |
| 15      | 17      | XNET                       |            |
| 16      | 20      | Chaos                      |            |
| 17      | 21      | User Datagram              | [50]       |
| 18      | 22      | Multiplexing               | [51]       |
| 19-63   | 23-77   | Unassigned                 |            |
| 64      | 100     | EXPAK cumstats             |            |
| 65      | 101     | EXPAK PC messages          |            |
| 66      | 102     | Unassigned                 |            |
| 67      | 103     | Gateway Monitoring         |            |
| 68      | 104     | Unassigned                 |            |
| 69      | 105     | SIMP monitoring            |            |
| 70      | 106     | SIMP polling               |            |
| 71      | 107     | SIMP packet core/U         |            |
| 72-76   | 110-114 | Unassigned                 |            |
| 77      | 115     | backroom SIMP polling      |            |
| 78      | 116     | backroom SIMP monitoring   |            |
| 79      | 117     | SIMP message generators    |            |
| 80-254  | 120-376 | Unassigned                 |            |
| 255     | 377     | Reserved                   |            |

#### ASSIGNED PORT or SOCKET NUMBERS

Ports are used in the TCP [46] and sockets are used in the AHHP [1,3] to name the ends of logical connections which carry long term conversations. For the purpose of providing services to unknown callers a service contact socket is defined. This list specifies the port or socket used by the server process as its contact socket. In the AHHP an Initial Connection Procedure ICP [1,34] is used between the user process and the server process to make the initial contact and establish the long term connections leaving the contact socket free to handle other callers. In the TCP no ICP is necessary since a port may engage in many simultaneous connections.

#### Socket Assignments:

##### General Assignments:

| Decimal | Octal   | Description                    |
|---------|---------|--------------------------------|
| -----   | -----   | -----                          |
| 0-63    | 0-77    | Network Wide Standard Function |
| 64-127  | 100-177 | Hosts Specific Functions       |
| 128-223 | 200-337 | Reserved for Future Use        |
| 224-255 | 340-377 | Any Experimental Function      |

Specific Assignments:

Network Standard Functions

| Decimal<br>----- | Octal<br>----- | Description<br>-----               | References<br>----- |
|------------------|----------------|------------------------------------|---------------------|
| 1                | 1              | Old Telnet                         | [6]                 |
| 3                | 3              | Old File Transfer                  | [7,8,9]             |
| 5                | 5              | Remote Job Entry                   | [1,10]              |
| 7                | 7              | Echo                               | [11]                |
| 9                | 11             | Discard                            | [12]                |
| 11               | 13             | Who is on or SYSTAT                |                     |
| 13               | 15             | Date and Time                      |                     |
| 15               | 17             | Who is up or NETSTAT               |                     |
| 17               | 21             | Short Text Message                 |                     |
| 19               | 23             | Character generator or TTYTST      | [13]                |
| 21               | 25             | New File Transfer                  | [1,14,15]           |
| 23               | 27             | New Telnet                         | [1,16,17]           |
| 25               | 31             | Distributed Programming System     | [18,19]             |
| 27               | 33             | NSW User System w/COMPASS FE       | [20]                |
| 29               | 35             | MSG-3 ICP                          | [21]                |
| 31               | 37             | MSG-3 Authentication               | [21]                |
| 33               | 41             | DPS ICP                            | [18,19]             |
| 35               | 43             | IO Station Spooler                 |                     |
| 37               | 45             | Time Server                        | [1,22]              |
| 39               | 47             | NSW User System w/SRI FE           | [20]                |
| 41               | 51             | Graphics                           | [1,26]              |
| 42               | 52             | Name Server                        | [52]                |
| 43               | 53             | WhoIs                              |                     |
| 45               | 55             | Internet Message Processing Module | [53]                |
| 47-63            | 57-77          | unassigned                         |                     |

#### Host Specific Functions

| Decimal<br>----- | Octal<br>----- | Description<br>-----          | References<br>----- |
|------------------|----------------|-------------------------------|---------------------|
| 65               | 101            | unassigned                    |                     |
| 67               | 103            | Datacomputer at CCA           | [24]                |
| 69               | 105            | CPYNET                        |                     |
| 71               | 107            | NETRJS (EBCDIC) at UCLA-CCN   | [1,25]              |
| 73               | 111            | NETRJS (ASCII-68) at UCLA-CCN | [1,25]              |
| 75               | 113            | NETRJS (ASCII-63) at UCLA-CCN | [1,25]              |
| 77               | 115            | any private RJE server        |                     |
| 79               | 117            | Name or Finger                | [1,40]              |
| 81               | 121            | Network BSYS                  |                     |
| 83               | 123            | MIT ML Device                 |                     |
| 85               | 125            | MIT ML Device                 |                     |
| 86-94            | 126-136        | unassigned                    |                     |
| 95               | 137            | SUPDUP                        | [33]                |
| 97               | 141            | Datacomputer Status           |                     |
| 98-127           | 142-136        | unassigned                    |                     |

#### Reserved for Future Use

| Decimal<br>----- | Octal<br>----- | Description<br>----- | References<br>----- |
|------------------|----------------|----------------------|---------------------|
| 128-223          | 200-337        | reserved             |                     |

#### Experimental Functions

| Decimal<br>----- | Octal<br>----- | Description<br>-----     | References<br>----- |
|------------------|----------------|--------------------------|---------------------|
| 224-231          | 340-347        | unassigned               |                     |
| 232-237          | 350-355        | Authorized Mailer at BBN |                     |
| 239              | 357            | unassigned               |                     |
| 241              | 361            | NCP Measurement          | [27,28]             |
| 243              | 363            | Survey Measurement       | [28,29,30]          |
| 245              | 365            | LINK                     | [31]                |
| 247              | 367            | TIPSRV                   |                     |
| 249-255          | 371-377        | RSEXEC                   | [31,32]             |

#### ASSIGNED LINK NUMBERS

The word "link" here refers to a field in the original ARPANET Host/IMP interface leader. The link was originally defined as an 8 bit field. Some time after the ARPANET Host-to-Host (AHHP) protocol was defined and, by now, some time ago the definition of this field was changed to "Message-ID" and the length to 12 bits. The name link now refers to the high order 8 bits of this 12 bit message-id field. The low order 4 bits of the message-id field are to be zero unless specifically specified otherwise for the particular protocol used on that link. The Host/IMP interface is defined in BBN report 1822 [2].

#### Link Assignments:

| Decimal | Octal   | Description                | References |
|---------|---------|----------------------------|------------|
| -----   | -----   | -----                      | -----      |
| 0       | 0       | AHHP Control Messages      | [1,3]      |
| 1       | 1       | Reserved                   |            |
| 2-71    | 2-107   | AHHP Regular Messages      | [1,3]      |
| 72-151  | 110-227 | Reserved                   |            |
| 152     | 230     | PARC Universal Protocol    |            |
| 153     | 231     | TIP Status Reporting       |            |
| 154     | 232     | TIP Accounting             |            |
| 155-158 | 233-236 | Internet Protocol          | [44]       |
| 159-191 | 237-277 | Measurements               | [28]       |
| 192-195 | 300-303 | Message Switching Protocol | [4,5]      |
| 196-255 | 304-377 | Experimental Protocols     |            |
| 224-255 | 340-377 | NVP                        | [1,39]     |



#### REFERENCES

- [1]    Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook,"  
NIC 7104, for the Defense Communications Agency by SRI  
International, Menlo Park, California, Revised January 1978.
- [2]    BBN, "Specifications for the Interconnection of a Host and an  
IMP," Report 1822, Bolt Beranek and Newman, Cambridge,  
Massachusetts, January 1976.
- [3]    McKenzie, A. "Host/Host Protocol for the ARPA Network,"  
NIC 8246, January 1972.  Also in [1].
- [4]    Walden, D. "A System for Interprocess Communication in a  
Resource Sharing Network," RFC 62, NIC 4962, 3 August 1970.  
Also published in Communications of the ACM, volume 15,  
number 4, April 1972.
- [5]    Bressler, B. "A Proposed Experiment with a Message Switching  
Protocol," RFC 333, NIC 9926, 15 May 72.
- [6]    Postel, J. "Telnet Protocol," RFC 318, NIC 9348, 3 April 1972.
- [7]    McKenzie, A. "File Transfer Protocol," RFC 454, NIC 14333,  
16 February 1973.
- [8]    Clements, R. "FTPSRV -- Extensions for Tenex Paged Files,"  
RFC 683, NIC 32251, 3 April 1975.  Also in [1].
- [9]    Harvey, B. "One More Try on the FTP," RFC 691, NIC 32700,  
6 June 1975.
- [10]   Bressler, B. "Remote Job Entry Protocol," RFC 407, NIC 12112,  
16 October 72.  Also in [1].
- [11]   Postel, J. "Echo Process," RFC 347, NIC 10426, 30 May 1972.
- [12]   Postel, J. "Discard Process," RFC 348, NIC 10427,  
30 May 1972.
- [13]   Postel, J. "Character Generator Process," RFC 429, NIC 13281,  
12 December 1972.
- [14]   Neigus, N. "File Transfer Protocol," RFC 542, NIC 17759,  
12 July 1973.  Also in [1].

- [15] Postel, J. "Revised FTP Reply Codes," RFC 640, NIC 30843, 5 June 1974. Also in [1].
- [16] McKenzie, A. "Telnet Protocol Specification," NIC 18639, August 1973. Also in [1].
- [17] McKenzie, A. "Telnet Option Specification," NIC 18640, August 1973. Also in [1].
- [18] White, J. "A High Level Framework for Network-Based Resource Sharing," RFC 707, NIC 34263, 14 January 1976. Also in NCC Proceedings, AFIPS, June 1976.
- [19] White, J. "Elements of a Distributed Programming System," RFC 708, NIC 34353, 28 January 1976.
- [20] COMPASS. "Semi-Annual Technical Report," CADD-7603-0411, Massachusetts Computer Associates, 4 March 1976. Also as, "National Software Works, Status Report No. 1," RADC-TR-76-276, Volume 1, September 1976. And COMPASS. "Second Semi-Annual Report," CADD-7608-1611, Massachusetts Computer Associates, 16 August 1976.
- [21] NSW Protocol Committee, "MSG: The Interprocess Communication Facility for the National Software Works," CADD-7612-2411, Massachusetts Computer Associates, BBN 3237, Bolt Beranek and Newman, Revised 24 December 1976.
- [22] Harrenstien, K. "Time Server," RFC 738, NIC 42218, 31 October 1977. Also in [1].
- [23] Skelton, A., S. Holmgren, and D. Wood, "The MITRE Cablenet Project," IEN 96, April 1979.
- [24] CCA, "Datacomputer Version 1 User Manual," Computer Corporation of America, August 1975.
- [25] Braden, R. "NETRJS Protocol," RFC 740, NIC 42423, 22 November 1977. Also in [1].
- [26] Sproull, R, and E. Thomas. "A Networks Graphics Protocol," NIC 24308, 16 August 1974. Also in [1].
- [27] Cerf, V., "NCP Statistics," RFC 388, NIC 11360, 23 August 1972.

- [28] Cerf, V., "Formation of a Network Measurement Group (NMG)," RFC 323, NIC 9630, 23 March 1972.
- [29] Bhushan, A., "A Report on the Survey Project," RFC 530, NIC 17375, 22 June 1973.
- [30] Cantor, D., "Storing Network Survey Data at the Datacomputer," RFC 565, NIC 18777, 28 August 1973.
- [31] Bressler, R., "Inter-Entity Communication -- An Experiment," RFC 441, NIC 13773, 19 January 1973.
- [32] Thomas, R. "A Resource Sharing Executive for the ARPANET," AFIPS Conference Proceedings, 42:155-163, NCC, 1973.
- [33] Crispin, M. "SUPDUP Protocol," RFC 734, NIC 41953, 7 October 1977. Also in [1].
- [34] Postel, J. "Official Initial Connection Protocol," NIC 7101, 11 June 1971. Also in [1].
- [35] Cerf, V. "Specification of Internet Transmission Control Program -- TCP (version 2)," March 1977.
- [36] Cerf, V. and J. Postel, "Specification of Internetwork Transmission Control Program -- TCP Version 3," USC/Information Sciences Institute, January 1978.
- [37] Reed, D. "Protocols for the LCS Network," Local Network Note 3, Laboratory for Computer Science, MIT, 29 November 1976.
- [38] Clark, D. "Revision of DSP Specification," Local Network Note 9, Laboratory for Computer Science, MIT, 17 June 1977.
- [39] Cohen, D. "Specifications for the Network Voice Protocol (NVP)," NSC Note 68, 29 January 1976. Also as USC/Information Sciences Institute RR-75-39, March 1976, and as RFC 741, NIC 42444, 22 November 1977. Also in [1].
- [40] Harrenstien, K. "Name/Finger," RFC 742, NIC 42758, 30 December 1977. Also in [1].
- [41] Cole, J. "Gateway Monitoring Messages," BBN, 1 February 1978.
- [42] Postel, J. "Draft Internetwork Protocol Specification -- Version 2," USC/Information Sciences Institute, February 1978.

- [43] Cerf, V. "A Proposed New Internet Header Format," Advanced Research Projects Agency, IEN 26, 14 February 1978.
- [44] Postel, J. "Internet Protocol," IEN-111, USC/Information Sciences Institute, August 1979.
- [45] Cerf, V. "A Proposal for TCP Version 3.1 Header Format," Advanced Research Projects Agency, IEN 26, 14 February 1978.
- [46] Postel, J., "Transmission Control Protocol," IEN-112, USC/Information Sciences Institute, August 1979.
- [47] McCarthy, J. and L. Earnest, "DIALNET," Stanford University Artificial Intelligence Laboratory, Undated.
- [48] Crispin, M. and I. Zabala, "DIALNET Protocols," Stanford University Artificial Intelligence Laboratory, July 1978.
- [49] Strazisar, V, and R. Perlman, "Gateway Routing, An Implementation Specification," IEN-30, Bolt Berenak and Newman, April 1978.
- [50] Postel, J., "User Datagram Protocol," IEN-88, USC/Information Sciences Institute, May 1979.
- [51] Cohen, D. and J. Postel, "Multiplexing Protocol," IEN-90, USC/Information Sciences Institute, May 1979.
- [52] Postel, J., "Name Server," IEN-116, USC/Information Sciences Institute, August 1979.
- [53] Postel, J., "Internet Message Protocol," RFC-759, IEN-113, USC/Information Sciences Institute, August 1979.